AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



CATEGORY	4 1	MONOHULL		t Offshore races, on or protected wate			
DATE OF AUDIT	SA	IL NO:		NAME:			
				stated in Notice of Race. spot checks Special Regu			required
OWNER DETAILS							
OWNER(S) NAME(S):							
OWNER(S) CLUB(S):							
BOAT DETAILS							
LH:				BOAT REGISTRATION N	10:		
DISPL (tonnes):				VARIABLE (WATER) BAL	LAST: YE	S NO	
HULL COLOUR:							
DECK COLOUR:				DISTINGUISHING MARK	S:		
MAX CREW:							
RADIO & EPIRB RE	GISTRAT	ΓΙΟΝ			I		
SR 4.18.1 EPIRB(s): Reg			r of units fo	r boat:	Number to b	be hired:	
DECLARATION BY				ecial Regulations (https://www			
out only as a guide to pers unlimited responsibility of t	ons in char he person i as specifie	rge and race organising in charge as defined in s	authorities. SRs 1.02.1, 2	e), and SR 2.03.1 (Function of I understand that an auditor of I.02.2, 1.02.3 and 2.03.1. I un ions, and ensure it will be on I Date:	does not limit or dertake that I w	reduce the complete Il maintain in good we	and
OUTSTANDING ITE	MS – Thi	s audit is not valid	until the o	utstanding items have b	een re-inspe	ected.	
Outstanding Item				Re-Inspected by		AS No.	Date
EQUIPMENT AUDIT							
	nentioned b	boat in accordance with	SR 2.02.1, a	as summarised in the following	g list, and the ite	ms listed were compl	iant as per
Audited by AS NEA:(print name)				Signed by AS NEA:			
AS Number:				Date:			
EARLIEST EXPIRY	DAT <u>ES</u> -	- indicate 'hire' or	not <u>appli</u>	cable 'n/a' if relevant			
ITEM	EARLIEST		AUDITOR	ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR
Fire ext (12 mth.)				Flares red hand		LANLIEST EAPIRT	
EPIRB(s) if NoR				Flares white hand			
Inflatable lifebuoy(s)				Flares orange hand			
				Lifejackets			
NOTE: Some clui	bs will not a	accept self-servicing	of lifejackets	s. Check with the club for sp	ecific requiren	nents.	

AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM

MONOHULLS



CATEGORY 4

1

1

DATE OF AUDIT

SAIL NO:

warm or protected waters, normally held in daylight BOAT NAME:

This section to be completed and ticked or initialled by person in charge (P) and auditor(A). If item not applicable, mark 'n/a' or dash '-

Reg	Structural Fixed Deck Items	Ρ	Α
2.03.1	Equipment functions & adequate for intended use		
2.03.2	Ballast & heavy equipment secured		
3.01 - 3.05	Section 3 Part 1 – Structural Features, Stability. See Keel and Rudder Inspection Form, and Organising Authority requirements		
3.06.1	(a) 2 exits, 1 forward of mast (Refer to regulation for minimum clearance)		
3.07.1	No hatches forward of maximum beam open inwards except if size < 0.071 m^2		
	(a)(i) Hatches above water when heeled 90°		
0.07.0	(a)(iii) Non-conforming hatches; size < 0.071 m ²		
3.07.2	(a)(iii) Non-conforming hatches kept shut while racing (b) Hatches capable of being immediately shut; permanently attached lid		
	Non-conforming hatches labelled		
3.07.3	'Not to be opened at sea'		
	Blocking device for low sill companionway		
	(a) Companionway hatch securing arrangement		
	(i) Operable from above and below		
3.07.4	(b) Blocking devices (e.g. washboards)		
	(i) Capable of being retained with hatch open or shut		
	(ii) Secured to boat (e.g. by lanyard) (iii) Permit exit in event of inversion		
3.08.1	Cockpit strong, self-draining, & watertight (3.08.2)		
3.08.3	Bilge pump outlet not connected to cockpit drain		
	Number of cockpit drains required: <8.5 m: 2 x 25 mm		
3.08.7	Age/Series Date pre 07/77 & >8.5 m; 2 x 25 mm		
	Age/Series Date post 07/77 & >8.5 m; 4 x 20 mm		
	(a) Lifelines, stanchions, pulpits effectively continuous deck barrier		
	(b) Minimum heights of lifelines and pulpit rails above		
	working deck, note 1993 Primary Launch or LH \leq 8.5m		
	 (c) Lifelines supported at intervals ≤ 2.20m (d) Pulpits & stanchions permanently installed 		
	(e) Pulpits & stanchion bases not inboard by > 150 mm		
3.12.1	or 5% of Bmax nor outboard of working deck		
	(f) Stanchions straight, vertical; first 50 mm \leq 10 mm displ. and angle \leq 10 deg. from 50 mm above deck		
	(g) Bow pulpit opening does not exceed 360mm		
	(h) If applicable, lifelines set inside bow pulpit are adequately braced and terminated		
	(i) Lifelines taut with 4kg applied; \leq 50mm for upper, \leq 120mm for intermediate		
	(a)(i) Lifelines uncoated stainless steel wire, or		
	(a)(iii) HMPE rope of minimum diameter		
	 (b) Loose sleeve permitted (d) Gap secured by lanyard ≤ 100 mm;Lanyard 		
3.12.6	replaced annually		
	(e) Total lifeline system ≥ strength of required wire		
	Lifeline size minimum: LH < 8.5 m: 3 mm; LH 8.5 m –		
	13 m: 4 mm; LH > 13 m: 5 mm		
3.14.1	Toe rail min height 25 mm (age date from 01/81)		
	Toe rail min height 20 mm (age date before 01/81)		
3.20.3	1 manual bilge pumps operable with boat/seats shut Bilge pump not to discharge into closed cockpit		
3.20.6	Bilge pump not to discharge into closed cockpit Bilge pump not connected to cockpit drains		-
	(a) Bilge pump minimum suction bore 25 mm		
3.20.7	(b) Bilge pump & strum boxes accessible		
2 20 0	Pump handle each with lanyard or catch unless		
3.20.8	permanently fitted		
3.21.1	Marine magnetic compass permanently installed, non-electric		
3.23	Navigation lights carried complying with IRPCAS		

auditor(A). If item not applicable, mark 'n/a' or dash '-'		
0.04.4	If using outboard motor, provision for it being mounted		
3.24.4	at all times (may be raised but not removed)		
3.28.1	Hull Identification, min 50 mm; name & state rego; OR name, sail number & club		
4.01.1	Sail numbers as per RRS 77 and Appendix G	_	
4.01.1	(a) Clipping points through bolted or welded deck		
	plates or other suitable strong points		
4.03.2	(b) Positioned to clip/unclip from below and move		
	between cockpit and deck		
	(c) Clipping points for 2/3 crew		
Reg	Structural/Fixed Items Below	Ρ	Α
3.09.1	(a) Seacocks permanently installed		
	(b) Plugs for each opening attached or stowed nearby		
3.11	Keel stepped mast; heel securely fastened		
3.15.2	Toilet or securely fastened bucket Cooking stove/heating appliance safe use in seaway		
	e.g. Gimballed with accessible shutoff		
	Gas or methylated spirits only fuels for cooking		
3.17	"REMEMBER Turn Off Gas At Bottle" sign		
If fitted	Gas detection for permanent pilot light		
	Disposable gas canisters ≤ 225 grams		
	Gas bottle, spare canisters in separate compartment		
	ventilated overboard		
3.19.1	Handholds below decks		
3.24.3	Inboard engine to SR 3.24.1, OR outboard engine with		
	tanks, fuel supply; all securely fastened Dedicated starter battery if electric starter is only		
3.24.6	method of starting		
	Separate generators, if carried, securely covered and		
3.24.7	permanently installed		
3.24.8	Fuel tank shut off valve/cock if fuel can escape or		
3.24.0	siphon		
	(a) Petrol tanks – see regulation		
	(b) Diesel tanks metal or other certified material		
	(c) Fuel lines comply (d) Outboard table accuration deals as yestilated		
3.24.9	(d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised		
	national standard		
	(e) Petrol not below decks in portable containers		
	(f) Flexible fuel tank not permitted		
3.25.1	(b)(i) Permanently installed VHF transceiver (new		
3.23.1	installations DSC capable)		
Reg	Portable Equipment	Ρ	Α
3.18.4	Emergency water 1 litre per crew additional		
3.20.9	2 x 8 litre buckets, stout construction with lanyard		
3.23.4			
	Reserve navigation lights, independent of main power		_
3 25 5	(b) Emergency VHF antenna where regular antenna		
3.25.5	(b) Emergency VHF antenna where regular antenna relies on mast		
3.25.5 3.25.7	(b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins		
	(b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or		
3.25.7 4.04.1	 (b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or equiv. 		
3.25.7	 (b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or equiv. Fire blanket (for cooking device with open flame) 		
3.25.7 4.04.1	 (b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or equiv. Fire blanket (for cooking device with open flame) (a) Anchors & ground tackle as per Table 1 		
3.25.7 4.04.1	 (b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or equiv. Fire blanket (for cooking device with open flame) (a) Anchors & ground tackle as per Table 1 (b) Anchor & warp sizes Table 2 or Table 3 Anchor 1 Type		
3.25.7 4.04.1 4.04.4	(b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or equiv. Fire blanket (for cooking device with open flame) (a) Anchors & ground tackle as per Table 1 (b) Anchor & warp sizes Table 2 or Table 3 Anchor 1 Type		
3.25.7 4.04.1 4.04.4	(b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or equiv. Fire blanket (for cooking device with open flame) (a) Anchors & ground tackle as per Table 1 (b) Anchor & warp sizes Table 2 or Table 3 Anchor 1 Type		
3.25.7 4.04.1 4.04.4	(b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or equiv. Fire blanket (for cooking device with open flame) (a) Anchors & ground tackle as per Table 1 (b) Anchor & warp sizes Table 2 or Table 3 Anchor 1 Type		
3.25.7 4.04.1 4.04.4 4.05.1 4.06.2	(b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or equiv. Fire blanket (for cooking device with open flame) (a) Anchors & ground tackle as per Table 1 (b) Anchor & warp sizes Table 2 or Table 3 Anchor 1 Typekg/size Anchor 2 Typekg/size (c) Primary anchor assembled, attached to tackle 1 x flashlight floating type; spare batteries & bulbs if replaceable		
3.25.7 4.04.1 4.04.4 4.05.1 4.06.2 4.07.2	(b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or equiv. Fire blanket (for cooking device with open flame) (a) Anchors & ground tackle as per Table 1 (b) Anchor & warp sizes Table 2 or Table 3 Anchor 1 Typekg/size (c) Primary anchor assembled, attached to tackle 1 x flashlight floating type; spare batteries & bulbs if replaceable First Aid Manual (St Johns or Red Cross) (current ed.)		
3.25.7 4.04.1 4.04.4 4.05.1 4.06.2	(b) Emergency VHF antenna where regular antenna relies on mast Two means of receiving weather bulletins 2 x fire extinguishers 1A:10BE dry powder min or equiv. Fire blanket (for cooking device with open flame) (a) Anchors & ground tackle as per Table 1 (b) Anchor & warp sizes Table 2 or Table 3 Anchor 1 Typekg/size Anchor 2 Typekg/size (c) Primary anchor assembled, attached to tackle 1 x flashlight floating type; spare batteries & bulbs if replaceable		

AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



A

C

C

C

ate Α

Short Offshore races, close to shore in relatively warm or protected waters, normally held in daylight

BOAT NAME:

NON-PRESCRIPTION	
Paracetamol 500 mg (e.g.Panadol) or Ibuprofen 200 mg (e.g. Nurofen) x 20	
Soluble Aspirin (e.g.Disprin) x 20	
Butterfly or Steristrips(strips of 5) x 10	
Disposable gloves x 20	
Crepe bandages 75 mm x 1.5 m x 2	
Triangular bandage x 1	
Low absorbency non-adherent dressing/plain gauze (e.g. Melolin) x 10	
Bandaids or equivalent rollof bandaid x 20	
Antiseptic skin solution	
15 ml (e.g. Betadine) x 1	
Antiseptic cream e.g.Medicreme x 1	
Normal saline 250 ml x 1	
Sunscreen 30+ 250 ml x 1	
Seasickness tablets (e.g. Avomine, Travacalm) x 10	Γ
Scissors, stainless steel x 1	
CPR mask or 6 face shields	Γ

As this form is for national use and portability, please use a separate checklist page for additional club/race organiser requirements









Australian

MONOHULLS **CATEGORY 4**

DATE OF AUDIT 1

SAIL NO:

4.10.1	Charts (may be solely electronic), plotting equipment	
4.10.2	Collision Regulations; electronic or hard copy	
4.10.3	Current AS "Racing Rules of Sailing" and "Special Regulations Part 1"; electronic or hard copy	
4.11.1	GPS, may be handheld, water resistant with spare batteries	
4.14.1	Emergency tiller if not tiller steered	
4.14.2	Alternative steering method for rudder loss	
4.15.1	Tools, spares parts, effective way to cut rigging	
4.15.2	Bosun's chair or climbing harness	
4.15.3	Sharp knife sheathed, restrained in or near cockpit	
4.16.1	Name on all buoyant equipment & items	
4.16.2	Personal lifejacket marked to identify owner	
4.17	Retroreflective tape on lifebuoys, lifeslings, liferafts	
4.18.1	(b) 406MHz EPIRB; GPS capable for races more than 2 miles offshore	
	(a) Stored in an easily accessible, protected location	
4 4 0 0	(c) Regularly tested	
4.18.3	(d) Registered with relevant authority	
	Crew trained in use of EPIRB	
4.21.1	(a) Lifebuoy; self-igniting light, drogue; in reach; OR Lifesling, self-igniting light; in reach	
4.21.4	Lifebuoys, lifeslings fitted with retroreflective material	
4.21.5	Lifebuoys, lifeslings safety colour	
	Waterproof container for flares	
4.22.1	2 x red hand flares	
4.22.1	2 x white hand flares	
	2 x orange smoke flares	
4.23.1	Heaving line minimum 15 m	
4.24.1	(c) Heavy weather jib; area compliant	
4.24.2	(b) Sheeting positions for storm, heavy weather sail	
4.24.3	(a) Aromatic polyamides, carbon fibre & similar not	
	used for storm jib, trysail	
4.26	Retrieval method of crew from water	
4.27	V Distress sheet or International signal (square/circle)	
4.28.1	Stowage chart, displayed	
5.01.1	 (a) Lifejacket ≥ 150N (not "Mae West"), in service; 1 per crew Number (1 per crew) (See regulation for compliance standards) 	
	(d) Each lifejacket retro tape, whistle, crotch strap/s	
5.02.1	Safety harness, line with snap hook each end (≤2 m); 1 per crew Number	
	(See regulation for compliance standards)	







Australian

Australian







